

The importance of indigenous tree pods/fruits in goat diets: A review. (Project number ZC0305)

J.L.N. Sikosana, Department of Agricultural research and Extension, Matopos Research Station, Private Bag k 5137, Bulawayo, Zimbabwe.

Introduction Most of the goats in Zimbabwe are found in the communal areas (smallholder farming systems) where feed availability is often sub-optimal (Sibanda, 1992). Most of the livestock especially goats depend mainly on the rangeland for their nutritional requirements, a situation unlikely to change. The rangelands are characterized by perennial grasses and *Acacia* species. *Acacia* trees and other browse species produce pods and leaves which could be harvested and processed as supplementary feed during the dry season for livestock including goats.

Feed is generally adequate in the wet season but inadequate in the dry season. This calls for strategies to bridge the feed gap between the dry and wet seasons. Pods could be used as a “stop gap” measure during the transition period from dry to wet seasons. Browse pods are high in nutritive value (Ncube and Mpofo, 1994) and can be used as supplements to low quality roughages.

Distribution *Acacia* species in Zimbabwe. In Zimbabwe, *Acacia* species are found in arid savanna (Natural regions IV and V) with a few in wetter regions (Timberlake, *et al.*, 1999). The most common *Acacia* species in Zimbabwe are *A. karroo*, *A. tortilis*, *A. nilotica*, *A. erubescens*, *A. erioloba*, *A. robusta*, *A. gerardii*, *A. rehmanniana*, *A. sieberiana*, *A. galpinii*, *A. nigrescens*, and *A. Faidherbia alibida*. Other species include *Dichrostachys cinerea*, *Colophosperm mopane* and the genera of *Pilliosigma* and *Guibortia*.

Importance of browse trees in Zimbabwe. Timberlake, *et al.*, (1999) have reviewed the use of *Acacia* species in livestock production. Both domestic livestock and wildlife utilize leaves, pods and young shoots from browse species. Browse trees produce nutritious pods that ripen and fall during the dry season when there is little forage apart from low quality forage. The crude protein of these pods ranges from 15-20 per cent. Pods are a useful and valuable supplement to goats during the dry season.

One of the major disadvantages of browse as a livestock feed is the presence of perceived anti-nutritional factors such as phenolic compounds, of which tannins represent a large part. Certain browse species have medicinal properties. The medicinal uses are based on the astringent property of tannins present in the roots and bark (Timberlake, *et. al* 1999).

Farmers’ perception on the value of pods. Farmers are aware that goats are browsers, and that goats can only do well, where there is browse. The nutritive value is not well understood by smallholder farmers. Farmers’ experiences on the use of browse pods have been documented by Kindness, *et.al* 1999 in a participatory rural appraisal report (Project R7351). During a visit, in July 2005, in one of the communal areas (Tsholotsho district), farmers had a lot of interest to know the nutritive value and ways of collecting the pods. Farmers promised to start a goat project for a nearby primary school and use the project to share experiences with others on feeding goats with pods. In some areas farmers have come up with by-laws prohibiting people to collect pods. The reason being that people were collecting pods for resale.

Studies undertaken in Zimbabwe on browse as feed for goats:

De La Hunt, T.E.1954. The value of browse shrubs and bushes in the lowveld of Southern Rhodesia. Rhodesia Agricultural Journal,51: 251-262.

Dube, J.S.,Redd, J.D and Ndlovu,L.R. 2001. Proanthocyanidins and related phenolics in *Acacia* leaves of Southern Africa. Animal Feed Science and Technology,91:59-67.

Dube, J.S.1993.Nutritive value of four species of browse preferred by indigenous goats in a redsoil thornveld in Southern Zimbabwe (Mphil thesis)

Dube, J.S.2003. Variations in proanthocyanidin levels of provenances of six *Acacia* species and the influence of proanthocyanidins on ruminant nutrition. Dphil Thesis.

Dube, J.S.and Ndlovu, L.R.1994. A note on seasonal variations in the chemical composition of four browse species in the Matopos redsoil thornveld. Zimbabwe Journal of Agricultural Research, 4:119-123.

- Dube, J.S. and Ndlovu, L.R. 1996. Degradability and digestibility of browse/hay diets as influenced by phenolics in the browse. *Zimbabwe Journal of Agricultural Research*, 34(1): 55-63.
- Dube, J.S. and Ndlovu, L.R. 1995. Feed intake, chemical composition of faeces and nitrogen retention in goats consuming single browse species or browse mixtures. *Zimbabwe Journal of Agricultural Research*, 33: 133-141.
- Kindness, H., Sikosana, J.L.N., Mlambo, V. and Morton, J.F. 1999. *Socio-economic surveys of goat keeping in Matobo and Bubi districts*. Project code Y0020. NRI report Number 2451.
- Mlambo, V. Mould, F., Owen, E., Smith, T. and Muller-Harvey, I. 2000. The use of wood ash to overcome detrimental effects of tannins on *in vitro* fermentation of tree fruits. *Proceedings of British Society of Animal Science Conference, Merida, 12-15 November 2002*.
- Mlambo, V. Mould, F., Owen, E., Smith, T. Muller-Harvey, I. and Sikosana, J.L.N. 2002. *Dichrostachys cinerea* pods as a protein supplement for goats fed on hay based diets. In (eds) Smith, T. Godfrey, S.H., Buttery, P.J. and Owen, E. *Helping smallstock keepers enhance their livelihoods: Improving management of smallholder owned sheep and goats by utilizing local resources: proceedings of the second DFID Livestock Production Programme Link Project (R7798) workshop for smallstock keepers*. Sokoine University of Agriculture, Morogoro, Tanzania, 8-10 January 2002 pp69-75.
- Mlambo, V. Mould, F., Owen, E., Smith, T. Muller-Harvey, I. and Sikosana, J.L.N. 2001. Chemical composition and *in vitro* fermentation characteristics of *Acacia* and other tree pods. In : Smith and Geoffrey, S. (editors). *Sustaining Livestock in Challenging Environments: Strategies for Smallscale Farmers*. *Proceedings of the Third Workshop on livestock Production Programme Projects*. Ingwe lodge and ICRISAT, Matopos, 26- 28 September 2000. NRI.
- Mlambo, V. 2002. *Modifying the nutritional effects of tannins present in Acacia and other tree fruits offered as protein supplements to goats in Zimbabwe*. Phd thesis. University of Reading. Uk.
- Mlambo, V., Sikosana, J.L.N., Smith, T., Owen, E., Mould, F., and Mueller-Harvey, I. 2003. Alleviating seasonal nutrient fluctuations in semi-arid areas of Zimbabwe: potential for tree fruits as protein supplements for goats. In: Smith, T. Godfrey, S.H. Buttery, P.J. and Owen, E. (eds) 2004. *The contribution of small ruminants in alleviating poverty: communicating messages from research: Proceedings of the third DFID Livestock production Programme Link project (R7798) workshop for small ruminant keepers*. Izaak Walton Inn, Embu, Kenya, 4-7 February 2003. Natural Resources Ltd, Uk
- Ncube, S. and Mpofu D. 1994. The nutritive value of wild fruits and their use as supplements to veld hay. *Zimbabwe Journal of Agricultural Research* 32.(1) 71-77.
- Ncube, S., Dube, J.S. and Hove, L. 1992. Value of browse, wildlife fruits as livestock feed. *The Farmer (Zimbabwe)*, 60(18):7-8.
- Ndlovu, L.R. and Nherera, F.V. 1997. Chemical composition and relationship to *in vitro* gas production of Zimbabwean browsable indigenous tree species. *Animal Feed Science and Technology*, 69(1/3): 121-129.
- Ndlovu, L.R. and Sibanda, L.M. 1996.: Potential of *Labiata purpureus* and *Acacia tortilis* in smallholder goat kid feeding systems in semi-arid areas of Southern Africa *Small Ruminant Research* 12, 273-276.
- Sibanda R. 1986. The browsing and general behavior of indigenous goats in thornveld. *Zimbabwe Agricultural Journal*, 86:209-214.
- Sibanda, H.M. and Ndlovu, L.R. 1992. The value of indigenous browsable tree species in livestock production in semi-arid communal grazing areas of Zimbabwe. In: (EDS) Stares, J.E.S., Said, A.N. and

Kategile, J.A. The complementarity of feed resources for animal production in Africa. Proceedings of the joint feed resources networks workshop held in Gaborone, Botswana, 4-8 March 1991. pp 55-62.

Sikosana, J., Smith, T., Owen, E., Mueller-Harvey, I and Mlambo, V. 2000. Increasing the productivity in smallholder owned goats on Acacia thornveld: Goat feeding strategies (R7351). . In : Smith and Geoffrey, S. (editors). *Sustaining Livestock in Challenging Environments: Strategies for Smallscale Farmers*. Proceedings of the Third Workshop on livestock Production Programme Projects. Ingwe lodge and ICRISAT, Matopos, 26- 28 September 2000. NRI.

Sikosana, J.L.N., Maphosa, V., Smith, T. Mlambo, V. m Owen, E. and Mueller-Harvey, I. 2003. Use of local browse tree pods as dry season supplement for goats in the south-western region of Zimbabwe. . Proceedings of British Society of Animal Science Conference, Merida, 12-15 November 2002.

Sikosana, J.L.N, Smith, T., Mlambo, V., Owen, E., Mueller-Harvey, I and Mould, F. 2002. Acacia and other tree pods as dry season feed supplements for goats. In (eds) Smith, T. Godfrey, S.H., Buttery, P.J. and Owen, E. *Helping smallstock keepers enhance their livelihoods: Improving management of smallholder owned sheep and goats by utilizing local resources: proceedings of the second DFID Livestock Production Programme Link Project (R7798) workshop for smallstock keepers*. Sokoine University of Agriculture, Morogoro, Tanzania, 8-10 January 2002 pp69-75.

Sikosana, J.L.N., Smith, T., Mlambo, V., Owen, E., Mueller-Harvey, I., Mould, F. and Maphosa, V. 2003. Supplementation of on-farm goats using feed resources available in south –west Zimbabwe. In: Smith, T. Godfrey, S.H. Buttery, P.J. and Owen, E. (eds) 2004. *The contribution of small ruminants in alleviating poverty: communicating messages from research: Proceedings of the third DFID Livestock production Programme Link project (R7798) workshop for small ruminant keepers*. Izaak Walton Inn, Embu, Kenya, 4-7 February 2003. Natural Resources Ltd, Uk

Timberlake, J., Fagg, C and Barnes. 1999. Field guide to Acacias of Zimbabwe

West. O. 1950. Indigenous tree crops for Southern Africa. Rhodesia Agricultural Journal, 47: 204-217.

Knowledge gaps:

- propagation of promising browse species
- balance between grass and browse trees for grazing
- composite meal
- anthelmintic properties
- post harvest processing
- pods as feed for micro livestock.
- manual on feeding goats for the smallholder farmer

Appendix: Local names for different browse tree species

Botanical name	Local names
<i>Acacia karroo</i>	<i>isinga/muunga</i>
<i>A. tortilis</i>	<i>umtshatshatsha/umsasane</i>
<i>A. nilotica</i>	<i>isanqawe/mubayamhondora</i>
<i>A. erubescens</i>	<i>uguwe</i>
<i>A. erioloba</i>	<i>iwohlo</i>
<i>A. robusta</i> ,	<i>umgamanzi</i>
<i>A. gerardii</i> ,	<i>umkhaya</i>
<i>A. sieberiana</i>	<i>umlaladwayi/rukato</i>
<i>A. galpini</i>	<i>umthungabayeni/amukaya</i>
<i>A. rehmanniana</i>	<i>iphucula</i>

A Faidherbia
Dichrostachys cinerea
Colophosperm mopane
Piliostigmathonningii
Guibortia .coleosperma

muhunga
ugagu/mupangara
iphane/mupani
ihabahaba/umusekesa
umtshibi/muchiva